



OSPREY DEEPCLEAN[®]

STEAM CLEANING TECHNOLOGY

MACHINE CATALOGUE

(EURO PRICING)



CONTENTS

OspreyDeepclean Ltd	page 3
Cleaning With Dry Steam / FAQ's	page 4
Full Machine Range	page 5-6
Machine Price List	page 7
Robby Jewel	page 8-9
Robby 3000	page 10-11
Robby 6000	page 12-13
Robby SP4 DF	page 14-15
Robby Steam & Vac	page 16-17
Robby HC Pro	page 18-19
SteamForce Compact Precision	page 20-21
Steam & Vac Pro	page 22-23
Provap Evo	page 24-25
Healthcare Accessories	page 26-27
GB Compact	page 28-29
GB1	page 30-31
Provap Gumcart / GumTrolley Complete	page 32-33
SF Compact	page 34-35
SteamForce Eco	page 36-37
SteamForce 3 (Vac)	page 38-39
SteamForce 6 (Vac)	page 40-41
SteamForce 10 (Vac)	page 42-43
SteamForce 20	page 44-45
iS18 & iS6	page 46-47
iS80 (Oil)	page 48-49
Belt Sanitation Unit (BSU)	page 50-51
The CleanBox	page 52-53

OspreyDeepclean Ltd aims to provide reliable information however, we cannot be held responsible for any errors which may occur within this publication.

All prices shown are subject to any local tax/VAT and carriage where applicable.

© 2016 OspreyDeepclean Ltd

No part of this publication should be reproduced, duplicated or be made public in any form whether electronically or otherwise without the express prior permission of OspreyDeepclean Ltd.

OspreyDeepclean; Pioneering the Cleaning Industry for 15 years!

OspreyDeepclean was originally established in 1995 but it wasn't until 2000 that the company introduced a major innovation into the cleaning market; namely the GumBusters chewing gum removal technology which is still in use all around the world today. Since then the company has continued to go from strength to strength with innovatively designed, cutting edge technology enabling the company to now be recognised as the leading manufacturer & supplier of professional and industrial dry steam cleaning equipment.


The constant quest for greater efficiency, improved cleaning and enhanced bactericidal sanitation coupled with the demand to achieve this in the most environmentally friendly way means the growth and popularity of dry steam technology is ever increasing. To stay at the forefront of this market OspreyDeepclean have development centres both here in the UK & in Germany where our sister company OspreyFrank GmbH is based. The group's manufacturing plant is also based in Germany.

From general cleaning and sanitation to heavy duty cleaning and degreasing, OspreyDeepclean offer an unrivalled range of dry steam cleaning equipment capable of tackling the toughest and most difficult cleaning tasks with confidence, by simply harnessing the power of water. Providing our customers with the most efficient, innovative and reliable steam equipment has always been at the core of our R&D criteria as is providing cost effective environmentally friendly equipment.

Our growing list of blue-chip multi-national customers, from facility management companies to food manufacturing and automotive giants, clearly recognises our capability to provide innovative steam based solutions thanks to our engineering expertise and continued investment, demonstrating that when it comes to steam cleaning technology OspreyDeepclean leads from the front.

But please do not just take our word for it, we hope that whatever your sector of activity you might find it informative and perhaps find a suitable solution within our range or alternatively please contact us to discuss your specific requirements.

OspreyDeepclean; the leading force in steam cleaning technology.



Cleaning with dry steam; Frequently Asked Questions

What is a steam cleaner?

A steam cleaner is an appliance that uses only a small amount of clean, cold tap water, heated in a boiler powered by using electricity to sanitise, clean and deodorise virtually any surface without the need to use detergents.

How does it work?

Using only a small amount of tap water, a steam cleaner creates a low moisture vapour that carries heat to the surface you wish to treat. The heat combined with light agitation does the work. In combination with a wide variety of accessories it can be used for an unlimited number of applications.

What is 'Dry' Steam Vapour?

Steam is called 'dry' if it only contains around 5% to 6% water and is much less dense than the air we breathe. It is clean with temperatures high enough to kill bacteria and germs, emulsify grease and oil as well as other surface contaminants. The result: a completely hygienic and dry surface.

What can I use it on?

Dry steam cleaning can be used on practically any surface with the exception of those surfaces that are extremely heat sensitive. Surfaces such as silks, some very thin plastics, and some types of velour upholstery must be treated with great care.











Where does the water go?

The water is put into a special tank or boiler that super heats the water and changes it into hot dry steam. The unique benefit of our steam cleaners is that they produce a low moisture, high temperature steam that carries only about 6% water. We like to call this Dry steam because so little water is left behind and so little is used.

Do I need detergents in combination with steam?

In most cases you do not need detergents, but for specialist applications such as gum removal a detergent might be required. The cleaning process can also be accelerated in some cases through the use of a detergent combined with steam. OspreyDeepclean therefore offer manufacturer approved detergents, which can be used in combination with our steam technology. With the OspreyDeepclean dry steam technology the highest cleaning results are achieved.

Machine Technical Specifications

										
Model	GB1	Provap Gumcart	SF Compact	SF Eco	SF3 (Vac)	SF6 (Vac)	SF10 (Vac)	SF20	iS80 Oil	iS18/iS36
Code	M6072	M6049	M5000	M6054/ M6053	M6055	M6057	M6066/ M6056	M6052	M2400157	M2400167
Power Requirement	2 x 12v Cell	230 Volt 50/60Hz	230 Volt 50Hz	230/110 Volt 50Hz	230 Volt 50Hz	400 Volt 50Hz 16 Amp	400 Volt 50Hz 16 Amp (4 or 5 Pin)	400 Volt 50Hz 32Amp	230 Volt 1.5 Amp	400 Volt 50Hz 25/51 Amp
Maximum Power	n/a	2,600/3000 Watt	2,200 Watt	3,000 Watt	3,000 Watt	5,500 Watt	10,000 Watt	19,500 Watt	80kW Oil Driven	18kW / 36kW
Steam Pressure	n/a	9.0 Bar (Nominal)	5.0 Bar (Nominal)	6 Bar (Nominal)	8 Bar (Nominal)	10 Bar (Nominal)	10 Bar (Nominal)	10.5 Bar (Nominal)	10 Bar (Nominal)	10 Bar (Nominal)
Boiler Capacity	n/a	3.4 Litres	2.2 Litres	2.3 Litre	3.6 Litre	3.6 Litre	6 Litre	16 Litre	n/a	n/a
Boiler Material	n/a	RVS AISI 304	RVS AISI 304	RVS AISI 304	RVS AISI 304	RVS AISI 304	RVS AISI 304	RVS AISI 304	n/a	n/a
Heating Up Time	Instant	Approx. 9 minutes	Approx. 8 minutes	Approx. 5 minutes	Approx. 9 minutes	Approx. 6 minutes	Approx. 7 minutes	Approx. 7 minutes	Approx. 5 minutes	Approx. 5 minutes
Autonomy	Up to 8 hours	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous
Detergent Facility	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Optional	Yes
Detergent Tank Capacity	5 Litre	2 x 5 Litre	n/a	2 x 5 Litre	2 x 5 Litre	2 x 5 Litre	2 x 5 Litres	5 Litre	20 Litre	5 Litre
Indicator for Lack of Water	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cable Length	n/a	4 Metres	4 Metres	4 Metres	4 Metres	5 Metres	4 Metres	5 Metres	5 Metres	5 Metres
Dimensions (LxWxH) cm	17.2 x 22.2 x 32.8	49 x 43 x 105	40cm x 54 x x 41.5	37 x 82.5 x 100	50 x 82.5 x 100	50 x 82.5 x 100	57 x 89 x 104	55 x 100 x 93	125 x 59 x 84	120 x 80 x 110
Net Weight	37.5Kg	36Kg	9Kg	25Kg	28Kg	32Kg	56Kg	110Kg	180Kg	110Kg
Shipping Weight	40Kg	40Kg	13Kg	32Kg	35Kg	39Kg	108Kg	160Kg	195Kg	125Kg
Certification/ Marking	n/a	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4
Max. Boiler Temperature	140°C	180°C	165°C	160°C	170°C	185°C	185°C	185°C	180°C	Wet: 150°C Dry: 160°C
Adjustable Pressure Output	Self Regulated	Yes	No	Yes	Yes	Yes	Yes	Yes	No	No
Integrated Vacuum Unit	No	No	No	No	Optional	Optional	Optional	No	No	No
Wet/Dry Vacuum	n/a	n/a	n/a	n/a	1000 Watt	1100 Watt	1100 Watt	n/a	n/a	n/a
Vacuum Tank Capacity	n/a	n/a	n/a	n/a	10 Litre	10 Litre	10 Litre	n/a	n/a	n/a

2016 Machine Price List

MODEL	PRODUCT CODE	LIST PRICE (£)
Robby Range		
Robby Jewel	M2594	€322.00
Robby 3000	M0134	€635.00
Robby 6000 (Includes Trolley, UK only)	M0145	€1,093.00
Robby Steam & Vac	M0172	€1,035.00
Robby HC Pro	M4014	€1,150.00
GumBusters		
GB Compact	M6073	€3,983.00
GB1	M6072	€5332.00
Provap Gumcart	M6049	€3,105.00
GumTrolley complete	M6015	€6,889.00
SteamCare Range		
SF Compact Precision	M5002	€1,265.00
Steam & Vac Pro (includes trolley)	M4011	€1,605.00
Provap Evo Vac (230v /110v)	M6047 / M6048	€3,440.00
SteamForce Range		
SF Compact	M5000	€1,210.00
SteamForce Eco (230v /120v)	M6054 / M6053	€2,243.00
SteamForce 3	M6055	€3,450.00
SteamForce 6 (4 pin / 5 pin)	M6067 / M6057	€6,642.00
SteamForce 10 (4 pin / 5 pin)	M6066 / M6056	€8,338.00
SteamForce Vacuum Kit*	A03155	€945.0
SteamForce 20	M6052	€12,075.00
iSteam Range		
iS80 Oil	M2400157	€13,950.00
iS18	M2400167	€19,500.00
iS36	M2400198	€29,500.00

A00002 Optional trolley for Robby SP4 DF & Robby HC Pro €115

A00011 Trolley for Robby 6000 (standard with machine UK only) €115

All machines are fitted with UK plugs unless otherwise stated

The **ROBBY** range

Small Body...Mighty Steam

- **Robby Jewel - M2594**
- Lightweight & easy to transport
- Removes limescale and stains on mould & grout
- Cleans and sanitises kitchen surfaces and appliances
- Removes suborn stains from carpets & soft furnishings
- Simple direct fill operation
- Great value for money









Technical Details



Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	2,000 Watt	Machine Dimensions (W x D x H)	45cmx30cmx28cm
Steam Pressure	4.0 Bar nominal	Net Weight	5.1 Kg
Boiler Capacity	1.5 Litres	Shipping Weight	7.9 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	n/a	Max. Boiler Temperature	144°C
Heating Up Time	Approx. 6 minutes	Adjustable Output Regulator	Yes
Autonomy	Approx.45 minutes	Indicator for Lack of Water	Yes



Robby Jewel Accessories (Included with Machine)

	Steam Hose A01509		Extension Tubes* A01501		Large Triangular Brush A01502		Scraper A01503		Floor Brush A01504
	Nozzle A01505		45° Adaptor A01506		Squeegee A01508		Nylon Detail Brush A01507		Cloth A00239
	Protective Gloves A00097								

Optional Accessories

	Safety Goggles A00096 £7.55		Safety Goggles A00096 £7.55		"Cleaning in Progress" Sign A00972		Accessory Bag A00903		
--	--	--	--	--	---	--	--------------------------------	--	--

* Only one supplied when purchased as a stand alone item

The **ROBBY** range

Robust, Reliable & Tough on Grime

- **Robby 3000 - M0134**
- Robust, stainless steel body
- Simple direct fill operation
- Portable & easy to use
- Removes lime scale, stains & mould from tiles & grout
- Cleans & Sanitises
- Supplied with a wide range of accessories



Technical Details

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	1,400 Watt	Machine Dimensions (W x D x H)	28cmx52cmx52cm
Steam Pressure	4.0 Bar nominal	Net Weight	8.9 Kg
Boiler Capacity	2.0 Litres	Shipping Weight	12 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	n/a	Max. Boiler Temperature	144°C
Heating Up Time	Approx. 8 minutes	Adjustable Output Regulator	Yes
Autonomy	1.5 Hours	Indicator for Lack of Water	Yes



OSPREY DEEPCLEAN
STEAM CLEANING TECHNOLOGY














DEFRA Approved Water
Technology List
Reference: 3205

Robby 3000 Accessories (Included with Machine)

Optional Accessories

* Only one supplied when purchased as a stand alone item

** Only one hose supplied with machine depending on connection (Round or Straight)

The **ROBBY** range

Truly versatile & at the top of its game

- **Robby 6000 - UK: M0145/ EU:M0147**
- Robust, stainless steel body
- Uniquely doubles super heated steam with a hot pressure cleaner
- Reliable & simple operation
- The solution to many commercial cleaning challenges
- Most surfaces can be cleansed without harsh chemicals
- Easily cleans hard to reach areas



Technical Details

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	1,400 Watt	Machine Dimensions (W x D x H)	28cmx52cmx52cm
Steam Pressure	4.0 Bar nominal	Net Weight	8.9 Kg
Boiler Capacity	2.0 Litres	Shipping Weight	12 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	n/a	Max. Boiler Temperature	144°C
Heating Up Time	Approx. 8 minutes	Adjustable Output Regulator	Yes
Autonomy	1.5 Hours	Indicator for Lack of Water	Yes



OSPREY DEEPCLEAN
STEAM CLEANING TECHNOLOGY














DEFRA Approved Water
Technology List
Reference: 3205

Robby 6000 Accessories (Included with Machine)

Optional Accessories

* Only one supplied when purchased as a stand alone item

** Only one hose supplied with machine depending on connection (Round or Straight)

The **ROBBY** range Steam & vacuum in one, makes sanitising easy

- **Robby SP4 - M6004**
- Compact yet extremely versatile unit
- Simultaneous steam & vacuum functions for fast & effective cleaning
- Reduces the need for harsh chemicals
- Ideal for use in washrooms, sanitary areas
- Excellent on safety, non slip flooring
- Optional lightweight trolley for ease of use



Technical Details

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	2,200 Watt	Machine Dimensions (W x D x H)	50cmx30cmx32cm
Steam Pressure	4.5 Bar nominal	Net Weight	10.8 Kg
Boiler Capacity	1.7 Litres	Shipping Weight	19 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	Max. 1000w 1.5 Litres	Max. Boiler Temperature	147°C
Heating Up Time	Approx. 3 minutes	Adjustable Output Regulator	Yes
Autonomy	1 Hour	Indicator for Lack of Water	Yes



OSPREY DEEPCLEAN®
STEAM CLEANING TECHNOLOGY

Robby SP4 Accessories (Included with Machine)

	Steam Hose** (Straight Connector) A00935		Steam Hose** (Round Connector) A01132		Extension Tubes A00130		Multi Function Floor Tool A00131		Squeegee Insert (Fits A00131) A00027
	Carpet Accessory (fits A00131) A00017		Brush Insert (fits A00131) A00026		Single Hole Detail Nozzle A00134		Medium Triangular Tool A00132		Bristle Insert for A00132 A00024
	Slider Insert for A00132 A00025		Nylon Detail Brush A00020		Wire Detail Brush A00021		Suction Nozzle A00015		Wide Suction Tool A00013
	Red Funnel A00007		Protective Gloves A00097						

Optional Accessories

	Trolley A00002		2 inch Round Brush A00005		Triangular Nylon Brush A00006		Safety Goggles A00096		Accessory Bag A00903
	"Cleaning in Progress" Sign A00972								

* Only one supplied when purchased as a stand alone item

** Only one hose supplied with machine depending on connection (Round or Straight)

The **ROBBY** range

Maintaining good housekeeping hygiene

- **Robby Steam & Vac - M0172**
- Steam & vacuum simultaneously for fast & effective cleaning
- Eliminates any potentially harsh chemical requirements
- Removes spots & stains from carpets & soft furnishings
- Kills dust mites & removes allergens
- Easy to maneuver trolley available separately



Technical Details

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	2,200 Watt	Machine Dimensions (W x D x H) cm	48cmx30cmx432cm
Steam Pressure	4.5 Bar nominal	Net Weight	10.5 Kg*
Boiler Capacity	0.7 Litres	Shipping Weight	19 Kg*
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	Max. 1000 W 1.6 Litres	Max. Boiler Temperature	147°C
Heating Up Time	Approx. 4 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

* excluding trolley



OSPREY DEEPCLEAN®
STEAM CLEANING TECHNOLOGY



DEFRA Approved Water
Technology List
Reference: 3206

Robby Steam & Vac Accessories (Included with Machine)

Optional Accessories

					
---	---	---	---	--	--

* Only one supplied when purchased as a stand alone item

** Only one hose supplied with machine depending on connection (Round or Straight)

The STEAMCARE range

Professional results in the healthcare environment

- **Robby HC Pro - M4014**
- Steam & vacuum simultaneously for fast & effective cleaning
- HEPA filter in addition to patented water filtration system
- Eliminates the need for harsh chemicals
- Kills dust mites & removes allergens



Technical Details

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	2,200 Watt (Boiler 2,900w)	Machine Dimensions (W x D x H) cm	54cmx30cmx28cm
Steam Pressure	5.5 Bar nominal	Net Weight	10.8 Kg
Boiler Capacity	0.7 Litres	Shipping Weight	19 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	Max. 1200 W 1.5 Litres	Max. Boiler Temperature	155°C
Heating Up Time	Approx. 3 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes



OSPREYDEEPCLEAN®
STEAM CLEANING TECHNOLOGY

Robby HC Pro Accessories (Included with Machine)

	Steam & Vacuum Hose A01184		Extension Tubes* A01185		300mm Floor Tool A01186 £		Hard Floor Insert (fits A01186) A01189		Carpet Insert (fits A01189) A01187
	Squeegee Insert (fits A01186) A01188		25cm Squeegee A01190		Single Hole Detail Nozzle A01192		3 Hole Detail Nozzle A01191		Triangular Nylon Brush A01193
	Wide Suction Nozzle A00013		Small Suction Nozzle A00015		Upholstery Tool A01195		Squeegee Insert (fits A01195) A01196		Brush Insert (fits A01195) A01197
	Nylon Detail Brush A01194		Red Funnel A00007		Safety Gloves A00097				

Optional Accessories

	Trolley A00002		Safety Goggles A00096		"Cleaning in Progress" Sign A00972		Accessory Bag A00903		
--	--------------------------	---	---------------------------------	--	--	--	--------------------------------	--	--

*only one supplied when purchase as a stand alone item

The **STEAMCARE** range

The ultimate compact steam unit

- **SteamForce Compact Precision – M5002**
- A tough yet compact, hands-free machine delivering outstanding results
- Compact yet tough machine with robust stainless steel body
- Self contained dry steam cleaning unit
- Simple & clear Start/Stop operation
- Rigid flexible steam hose that can be angled to the users requirements



Technical Details

Power Supply	230v 50Hz	Cable Length	4 metres
Maximum Power	2,200 Watt	Machine Dimensions (W x D x H)	40 x 54 x 41.5cm
Steam Pressure	6 Bar nominal	Net Weight	9 Kg
Boiler Capacity	2.2 Litres	Shipping Weight	13 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 5 minutes	Max. Boiler Temperature	165°C
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes




The SteamForce Compact Precision has a rigid yet flexible steam hose which can be angled to the precise requirements of the operator. It has been manufactured to be operated via a foot pedal to enable the operator to have both hands free while cleaning an item.

No accessories are required but optional safety accessories available are shown below.

SteamForce Compact Precision Optional Accessories

	<p>"Steam Cleaning in Progress" Sign A00972</p>		<p>Safety Gloves A00097</p>		<p>Safety Goggles A00096</p>				
---	--	---	--	---	---	--	--	--	--



The STEAMCARE range

Uniquely Validated Bactericidal Efficacy

- **Steam & Vac Pro - M4011**
- The ultimate healthcare steam & vacuum cleaner
- A steam cleaner, a dry vacuum cleaner and a wet vacuum cleaner in one!
- The water filtration system means no vacuum dust bag
- Eliminates dust mites, smells and removes allergens
- Truly versatile unit for many different environments

Technical Details

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	3,000 Watt	Machine Dimensions (W x D x H) cm	52cmx37cmx43cm
Steam Pressure	6.5 Bar nominal	Net Weight	14 Kg
Boiler Capacity	2.6 Litres	Shipping Weight	19 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	Max. 1000 W 2.3 Litres	Max. Boiler Temperature	154°C
Heating Up Time	Approx. 5 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes



OSPREY DEEPCLEAN
STEAM CLEANING TECHNOLOGY



DEFRA Approved Water
Technology List
Reference: 3207



Steam & Vac Pro Accessories (Included with Machine)

	Central Connector Hose A00260		Double Lock Extension Tube* A00982		30mm Nylon Brush A00806		60mm Nylon Brush A00264		Large Detail Nozzle A00070
	Detail Nozzle A00943		Suction Tool A00078		Squeegee Insert A00080 (Fits A00078)		Brush Insert A00079 (Fits A00078)		300mm Multi Function Floor Tool A00938
	300mm Brush Insert A00267		300mm Hard Floor Insert A00266		300mm Carpet Insert A00939		Long Gulper Nozzle A00075		Small Gulper Nozzle A00945
	Upholstery Spatula A00826		Trolley A00238		Safety Gloves A00097				

Optional Accessories

	Safety Goggles A00096		Safety Goggles A00096		"Cleaning in Progress" Sign A00972		Wall Mop** A03160		Adaptor Tool A03163	Floor Mop** A03159
	Microfibre (fits A03159) A03161		Microfibre (fits A03160) A03162		Upholstery Vac Tool A00173		Turbo Carpet Tool A02152			

* Only one supplied when purchased a stand alone item

The STEAMCARE range

The ultimate healthcare unit for effective decontamination

- **Provap Evo Vac - M6047**
- Independently validated decontamination results
- Achieves consistently high levels of sanitation
- Integrated water filtration vacuum leaves surfaces clean & touch dry
- Tackle infection control issues with confidence
- Optional healthcare specific tools available developed specially for high risk contact areas



Technical Details

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	3,000 Watt	Machine Dimensions (W x D x H) cm	49cmx43cmx105cm
Steam Pressure	9.0 Bar nominal	Net Weight	36 Kg
Boiler Capacity	2.7 Litres	Shipping Weight	40 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	Max. 1000 W 5.0 Litres	Max. Boiler Temperature	180°C
Heating Up Time	Approx. 5 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes



OSPREY DEEPCLEAN®
STEAM CLEANING TECHNOLOGY



DEFRA Approved Water
Technology List
Reference: 5307

Provap Evo Vac Accessories (Included with Machine)

	Central Connector Hose A00983		Double Lock Extension Tubes* A00982		30mm Nylon Brush A00806		60mm Nylon Brush A00264		Large Detail Nozzle A00070
	Detail Nozzle A00943		Suction Tool A00078		Squeegee Insert (Fits A00078) A00080		Brush Insert (Fits A00078) A00079		300mm Multi Function Floor Tool A00938
	300mm Brush Insert (fits A00938) A00267		300mm Hard Floor Insert (fits A00938) A00266		300mm Carpet Insert (fits A00938) A00939		300mm Double Insert (Rubber & Brush) Fits A00938 A00981		Long Gulper Nozzle A00075
	Small Gulper Nozzle A00945		Upholstery Spatula A00826		Safety Gloves A00097		Accessory Bag A00903		

Optional Accessories

	Wall Mop A03160		Adaptor Tool (fits A03159/A03160) A03163		Floor Mop A03159		Upholstery Vac Tool A00173		Turbo Carpet Tool A02152
	Microfibre (fits A03159) A03161		Microfibre (fits A03160) A03162		30mm Brass Brush A00835		Safety Goggles A00096		"Cleaning in Progress" Sign A00972

* Only one supplied when purchased as a stand alone item

The **STEAMCARE** range

Specially developed to provide effective decontamination

- **Specialist Healthcare Tools - A00997 / A01200**
- Healthcare specific accessories specially developed for use with dry steam in high risk contact areas
- Tackle infection control issues with confidence
- Independently validated decontamination results
- Helps to achieve consistent sanitation to the higher standards
- To be used in conjunction with microfibre for best results
- Ergonomic & easy to use

The technology behind the tools is based on the application of controlled superheated dry steam vapour (DSV) by purpose-designed steam vapour delivery tools, allowing its safe use in the daily and periodic cleaning practice within a healthcare environment. When used in accordance with our Standard Operating Procedures it ensures an effective and hygienic decontamination

Laboratory evaluations using OspreyDeepclean Dry Steam Vapour machines have established the safe removal of hospital infection strains in less than 2 seconds. Trials at University College London Hospitals* confirm that surfaces contaminated by each of the test organisms were successfully decontaminated by the OspreyDeepclean process - without chemicals.

The study focused on the decontamination of high-risk, high-contact surfaces: bed frames, mattresses, and chairs, from MRSA, Acinetobacter, Klebsiella and the spores of Clostridium difficile.

These results have also been independently validated by the prestigious TNO institute in The Netherlands. Use of the OspreyDeepclean process minimises the need to dismantle equipment or take bedside curtains down for cleaning; beds and isolation rooms are soon safely returned to use.



OSPREYDEEPCLEAN
STEAM CLEANING TECHNOLOGY












+44 (0) 1242 513123

www.ospreydc.com

Specialist Healthcare Tooling

					
Steam & Vac Pro / Provap Evo Vac Steam Hose A00990 £157.30	Robby HC Pro Healthcare Hose A01198 £175.11	Includes: A00990, A00996, A00993, A00995, A00994 & A03085	Curtain Cleaning Tool A00996 £157.30	Multi Surface Tool A00993 £102.30	Medium Tube Cleaner A00995 £67.10
Small Tube Cleaner A00994 £67.10	Steam Mop A03085 £258.69	Complete set of tools (S&V Pro/ Provap Evo Vac) A00997 £709.50	Complete set of tools (HC Pro) A01200 £709.50	Includes: A01198, A00996, A00993, A00995, A00994 & A03085	

Microfibre

										
Dispomop (for floor) A01060	Dispomop (for multi tool) A01062	Dispomop (for curtain tool) A01064	Steam 3D Multi (for multi tool) B: A01103 , Y: A01104 , R: A01105 , G: A01105	Steam 3D Curtain (for Curtain Tool) B: A01107 , Y: A01108 , R: A01110 , G: A01109	DISPAD (for floor) A01066	DISPAD (for Multi Tool) A01067	DISPAD (for Curtain Tool) A01068	HI-PRO2 40 (for floor) A00999	HI-PRO2 40 (for Multi Tool) A01000	Heavy Duty Microfibre Cloth MF40 B: A01005 , Y: A01006 , R: A01008 , G: A01007
Disposable for critical areas. 70% microfibre mop DISPAD Floor Needed	Disposable for critical areas 70% microfibre mop DISPAD Multi Needed	Disposable for critical areas 70% microfibre mop DISPAD Curtain Needed	Semi disposable 100 wash resistant microfibre mop 70/30 DISPAD Multi Needed	Semi disposable 100 wash resistant microfibre mop 70/30 DISPAD Curtain	Pad, steam resistant with reinforced side stitching	Pad, steam resistant with reinforced side stitching	Pad, steam resistant with reinforced side stitching	Regular high quality floor cleaning mop. 500 wash resistant 100% PES	Regular high quality floor cleaning mop. 500 wash resistant 100% PES	Non stretch tight woven highly absorbent 80/20
Weight	180 g/m ²	180 g/m ²	320 g/m ²	320 g/m ²	n/a	n/a	n/a	800 g/m ²	800 g/m ²	320 g/m ² (50g)
Pack Quantity	50	50	50	50	10	10	10	10	10	5

The GUMBUSTERS range

Gum Removal...easy as 1,2,3!



DESIGNED
IN THE UK

- **GumBusters GB Compact - M6073**
- The compact version of the world's first battery powered dry steam based, gum removal system
- Proudly designed in the UK - Excellent German build quality
- Operated by a single 12 volt battery - can be safely operated in any weather conditions
- Tough & robust stainless steel body—for easy use in confined spaces
- Completely silent operation—can be easily used for day time cleaning
- One full charge provides up to 2 hours of continuous operation
- Busts gum for less than £2.50 per hour
- The smallest, most cost effective, fit for purpose unit on the market!



Technical Details

Power Supply	Single 12v Cell Battery 125AH	Net Weight	32Kg
Vaporisation Chamber Capacity	10ml	Shipping Weight	37kg
Detergent Capacity	2.2 Litre	Max. Vapourising Chamber Temperature	140°C
Autonomy	Up to 2 hours	Output Regular	Self Regulated
Machine Dimensions (WxDxH)	40cmx54cmx84cm	Charging Time	4 hours



Gum Removal...easy as 1,2,3...



1








2







3 That gum is busted!

GB Compact Accessories (Included with Machine)

	Extension Tubes* A00241		Short Nozzle A00246		Brass Detail Brush* x3 A00258		Nylon Detail Brush* x2 A00242		Protective Gloves A00097
---	-----------------------------------	---	-------------------------------	---	---	---	---	---	------------------------------------

Optional Accessories

	RTU Chemical (4 x 5 litres) C00001		AAA Concentrate Chemical C00014		Safety Goggles A00096		"Cleaning in Progress" Sign A00972		Accessory Bag A00903
---	---	---	--	---	---------------------------------	---	--	---	--------------------------------

* Only one supplied when purchased as a stand alone item

The GUMBUSTERS range

Any gum, any place, any time

- **GumBusters GB1 - M6072**
- Manufactured & built in Great Britain!
- Worlds first battery powered, dry steam based, gum removal system
- Operated by a 12v power cell—can be safely operated in any weather conditions
- Tough & robust stainless steel body
- Completely silent operation
- Uses an environmentally friendly chemical derived from a sugar surfactant
- One full charge provides up to 6 hours of continuous operation



Technical Details

Power Supply	12v Cell Battery 125AH	Net Weight	89Kg
Vaporisation Chamber Capacity	10ml	Shipping Weight	99kg
Detergent Capacity	5 Litre	Max. Vapourising Chamber Temperature	140°C
Autonomy	Up to 6 hours	Output Regular	Self Regulated
Machine Dimensions (WxDxH)	58cmx107cmx84cm		



GB1 Accessories (Included with Machine)

	Brass Detail Brush* x3 A00258		Nylon Detail Brush* x2 A00242		Protective Gloves A00097		
---	--	---	---	---	------------------------------------	--	--

Optional Accessories

Image to follow	Gum Remover Chemical C00001		Safety Goggles A00096		"Cleaning in Progress" Sign A00972		Accessory Bag A00903
-----------------	---------------------------------------	---	---------------------------------	---	--	---	--------------------------------

* Only one supplied when purchased as a stand alone item

The GUMBUSTERS range

Any gum, any place, any time

- **Provap Gumcart - M6049**
- **Provap Gumtrolley—M6015**
- Compact gum removal system, robust yet easy to transport
- Dry steam, superheated to 180°C is delivered at 9 bar pressure
- Gum is instantly dissolved on contact when used with our specially developed gum remover
- Cost effective & environmentally friendly














Technical Details

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	3,000 Watt	Machine Dimensions (W x D x H) cm	49cmx43cmx105cm (machine only)
Steam Pressure	9.0 Bar nominal	Net Weight	36 Kg
Boiler Capacity	3.4 Litres	Shipping Weight	40 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Detergent Capacity	2x 5 Litres	Max. Boiler Temperature	180°C
Heating Up Time	Approx. 9 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes



DEFRA Approved Water
Technology List
Reference: 5309

Provap Gumcart Accessories (Included with Machine)

	Grey Steam Only Hose A00240		Extension Tubes* A00241		Brass Detail Brush A00258		Nylon Detail Brush A00242		Squeegee A00249
	Triangular Brush A00244		Floor Brush A00245		Hooked Nozzle A00247		Long Nozzle A00248		Short Nozzle A00246
	Safety Gloves A00097								

Optional Accessories

	Safety Goggles A00096		"Cleaning in Progress" Sign A00972		RTU Chewing Gum Remover Detergent (4x5 litres) C00001		Concentrate Chewing Gum Remover Detergent (4x5 Litres) C00014		
---	---------------------------------	---	--	---	---	---	---	--	--

* Only one supplied when purchased as a stand alone item



OspreyDeepclean Ltd is part of the OspreyFrank PLC Group of Companies.

41 Central Way, Cheltenham Trade Park, Cheltenham, Gloucestershire, GL51 8LX T: 01242 513123 E: info@ospreydc.com W: www.ospreydc.com

© 2015 OspreyDeepclean Ltd

No part of this publication should be reproduced, duplicated or be made public in any form whether electronically or otherwise without the express prior permission of OspreyDeepclean Ltd.

The **STEAMFORCE** range

The ultimate compact steam unit







- **SteamForce Compact – M5000**
- The steam box, within a box
- Compact yet tough machine with robust stainless steel body
- Self contained dry steam cleaning unit
- Simple & clear operation
- Supplied with assorted accessories for a wide range of cleaning challenges

Technical Details


Power Supply	230v 50Hz	Cable Length	4 metres
Maximum Power	2,200 Watt	Machine Dimensions (W x D x H)	40 x 54 x 41.5cm
Steam Pressure	5 Bar nominal	Net Weight	9 Kg
Boiler Capacity	2.2 Litres	Shipping Weight	13 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 8 minutes	Max. Boiler Temperature	165°C
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes



SteamForce Compact Accessories (Included with Machine)

	Steam Hose** A01217		Extension Tubes* A03060		Short Curved Nozzle A03069		Complete Floor Tool A03061		Nylon Detail Brush A03081
	Stainless Steel Detail Brush A03083								

Optional Accessories

	"Steam Cleaning in Progress" Sign A00972								

*Only one supplied when purchased as a stand alone item

** Fitted to the machine, engineer required to replace

The STEAMFORCE range

The little machine with the big steam

- **SteamForce Eco 230v - M6054 / 110v - M6053**
- Compact but tough & robust stainless steel body
- Industrial quality steam socket and accessories
- Produces 60gr dry steam per minute
- Cost effective & environmentally friendly
- Twin external detergent facility for ease of change
- Front locking castor wheels
- Steam volume regulator

















Technical Details

Power Supply	230v 50Hz 13Amp / 120v 16Hz 14Amp	Cable Length	4 metres
Maximum Power	3,000watt / 1700watt	Machine Dimensions (W x D x H)	37 x 82.5 x 100cm
Steam Pressure	6 Bar nominal	Net Weight	25 Kg
Boiler Capacity	2.3 Litres	Shipping Weight	32 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Detergent Capacity	2 x 5 Litres	Max. Boiler Temperature	160°C
Heating Up Time	Approx. 5 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes



OSPREY DEEPCLEAN
STEAM CLEANING TECHNOLOGY

SteamForce Eco Accessories (Included with Machine)

	4m Steam only hose A03057		Extension Tubes* A03060		Floor Tool A03061		Cotton Cloth A03028		Cover for Floor Tool A03071
	Large Triangular Brush A03072		24cm Squeegee Tool A03063		Short Curved Nozzle A03069		60mm Round Nylon Brush A03074		Nylon Detail Brush A03081
	Copper Detail Brush A03082		Stainless Steel Detail Brush A03083		Water Bottle A03216		Safety Gloves A00097		Safety Goggles A00096

Optional Accessories

	Steel Detail Brush A00154		Accessory Bag A00903		"Cleaning in Progress" Sign A00972				
--	-------------------------------------	--	--------------------------------	--	--	--	--	--	--

* Only one supplied when purchased as a stand alone item

The STEAMFORCE range

The ultimate professional unit

- **SteamForce 3/3 Vac- M6055 (Vac Kit A03154)**
- Compact but tough & robust stainless steel body
- Industrial quality steam socket and accessories
- Produces 100gr dry steam per minute
- Cost effective & environmentally friendly
- Twin external detergent facility for ease of change
- Front locking castor wheels
- Steam volume regulator


















Technical Details

Power Supply	230v 50Hz 13Amp	Cable Length	4 metres
Maximum Power	3,000 Watt	Machine Dimensions (W x D x H)	50 x 82.5 x 100cm
Steam Pressure	8 Bar nominal	Net Weight	28 Kg
Boiler Capacity	3.6 Litres	Shipping Weight	35 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Detergent Capacity	2 x 5 Litres	Max. Boiler Temperature	170°C
Vacuum/Vac Tank Capacity (optional)	1000 watt / 10 Litre	Adjustable Output Regulator	Yes
Heating Up Time	Approx. 9 minutes	Indicator for Lack of Water	Yes
Autonomy	Continuous Operation		






















OSPREY DEEPCLEAN®
STEAM CLEANING TECHNOLOGY

SteamForce 3 Accessories (Included with Machine)

	4m Steam only hose A03057		Extension Tubes* A03060		Floor Tool A03061		Cotton Cloth A03028		Cover for Floor Tool A03071
	Large Triangular Brush A03072		24cm Squeegee Tool A03063		Short Curved Nozzle A03069		60mm Round Nylon Brush A03074		Nylon Detail Brush A03081
	Copper Detail Brush A03082		Stainless Steel Detail Brush A03083		Accessory Bag A00903		Water Bottle A03216		Safety Gloves A00097
									Safety Goggles A00096

Steam & Vacuum Accessories (supplied as part of A03155)

	3m Steam & Vac Hose A03058		Extension Tubes* A00055		300mm Floor Tool A00063		Carpet Insert for Floor Tool A00065		Squeezegee Insert for Floor Tool A00066
	Brush Insert for Floor Tool A00068		25cm Squeegee A00077		Short Nozzle A03034		Upholstery Tool A00173		15cm Hand Tool A00078
	Squeezegee Insert for Hand Tool A00080		Brush Insert for hand tool A00079		Nylon Detail Brush A00072		Brass Detail Brush A00155		Cotton Cloth A03028
	Suction Tool A00081		Long Suction Tool A00075		Steel Detail Brush A00154**		Optional Turbo Carpet Tool** A02152		Optional "Cleaning in Progress" Sign** A00972


* Only one supplied when purchased as a stand alone item

** Ngt included as part of A03155, can be purchased separately

The STEAMFORCE range

A small unit that packs a big punch!

- **SteamForce 6/6 Vac- 4pin M6057/5 pin M6067 (Vac Kit A03155)**
- Compact but tough & robust stainless steel body
- Industrial quality steam socket and accessories
- Produces 150gr dry steam per minute
- Ideal for small/medium manufacturing/engineering facilities
- Cost effective & environmentally friendly
- Twin external detergent facility for ease of change


















Technical Details

Power Supply	400v 50Hz 16Amp	Cable Length	4 metres
Maximum Power	5,500 Watt	Machine Dimensions (W x D x H)	50 x 82.5 x 100cm
Steam Pressure	10 Bar nominal	Net Weight	32 Kg
Boiler Capacity	3.6 Litres	Shipping Weight	39 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Detergent Capacity	2 x 5 Litres	Max. Boiler Temperature	185°C
Vacuum/Vac Tank Capacity (optional)	1100 watt / 10 Litre	Adjustable Output Regulator	Yes
Heating Up Time	Approx. 6 minutes	Indicator for Lack of Water	Yes
Autonomy	Continuous Operation		






















OSPREY DEEPCLEAN®
STEAM CLEANING TECHNOLOGY

SteamForce 6 Accessories (Included with Machine)

	4m Steam only hose A03053		400mm industrial lance with hooked nozzle A03125 (Requires A03149)		900mm 45° Industrial lance with hooked nozzle A03131 (Requires A03149)		350mm Industrial Squeegee A03133		Nylon Detail Brush A03081
	Copper Detail Brush A03082		Stainless Steel Detail Brush A03083		60mm Round Nylon Brush A03074		60mm Round Copper Brush A03075		60mm Round Stainless Steel Brush A03076
	55mm Scotch Brite Round Pad A03145		1.5mm Nozzle Tip for Industrial Lances A03150		Accessory Bag A00903		Water Bottle A03216		Safety Gloves A00097 Safety Goggles A00096

Steam & Vacuum Accessories (supplied as part of A03155)

	3m Steam & Vac Hose A03054		Extension Tubes* A00055		300mm Floor Tool A00063		Carpet Insert for Floor Tool A00065		Squeegee Insert for Floor Tool A00066
	Brush Insert for Floor Tool A00068		25cm Squeegee A00077		Short Nozzle A03034		Upholstery Tool A00173		15cm Hand Tool A00078
	Squeegee Insert for Hand Tool A00080		Brush Insert for hand tool A00079		Nylon Detail Brush A00072		Brass Detail Brush A00155		Cotton Cloth A03028
	Suction Tool A00081		Long Suction Tool A00075		3m Steam Hose** A03059		Optional Turbo Carpet Tool** A02152		Optional "Cleaning in Progress" Sign** A00972

* Only one supplied when purchased as a stand alone item

** Not included as part of A03155, can be purchased separately

The **STEAMFORCE** range

Making light work of demanding industrial applications

- **SteamForce 10/10Vac-- 4pin M6066/5 pin M6056 (Vac Kit A03155)**
- Tough & robust stainless steel body
- Industrial quality steam socket and accessories
- Produces 200gr dry steam per minute
- Mains water connection for enhanced autonomy
- Emergency Stop button for increased safety


















Technical Details

Power Supply	400v 50Hz	Cable Length	4 metres
Maximum Power	10,000 Watt	Machine Dimensions (W x D x H)	57 x 89 x 104cm
Steam Pressure	10 Bar nominal	Net Weight	56 Kg
Boiler Capacity	6 Litres	Shipping Weight	108 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Detergent Capacity	2 x 5 Litres	Max. Boiler Temperature	185°C
Vacuum/Vac Tank Capacity (optional)	1100 watt / 10 Litre	Adjustable Output Regulator	Yes
Heating Up Time	Approx. 7 minutes	Indicator for Lack of Water	Yes
Autonomy	Continuous Operation		






















OSPREY DEEPCLEAN
STEAM CLEANING TECHNOLOGY

SteamForce 10 Accessories (Included with Machine)

	4m Steam only hose A03053		400mm industrial lance with hooked nozzle A03125 (Requires A03149)		900mm 45° Industrial lance with hooked nozzle A03131 (Requires A03149)		350mm Industrial Squeegee A03133		Nylon Detail Brush A03081
	Copper Detail Brush A03082		Stainless Steel Detail Brush A03083		60mm Round Nylon Brush A03074		60mm Round Copper Brush A03075		60mm Round Stainless Steel Brush A03076
	55mm Scotch Brite Round Pad A03145		1.5mm Nozzle Tip for Industrial Lances A03149		Accessory Bag A00903		Water Bottle A03216		Safety Gloves A00097 Safety Goggles A00096

Steam & Vacuum Accessories (supplied as part of A03155)

	3m Steam & Vac Hose A03054		Extension Tubes* A00055		300mm Floor Tool A00063		Carpet Insert for Floor Tool A00065		Squeegee Insert for Floor Tool A00066
	Brush Insert for Floor Tool A00068		2.5cm Squeegee A00077		Short Nozzle A03034		Upholstery Tool A00173		15cm Hand Tool A00078
	Squeegee Insert for Hand Tool A00080		Brush Insert for hand tool A00079		Nylon Detail Brush A00072		Brass Detail Brush A00155		Cotton Cloth A03028
	Suction Tool A00081		Long Suction Tool A00075		3m Steam Hose** 6m Steam Hose** 13m Steam Hose** 16m Steam Hose** A03059 A03228 A03222 A03196		Optional Turbo Carpet Tool** A02152		Optional "Cleaning in Progress" Sign** A00972

* Only one supplied when purchased as a stand alone item
** Not included as part of A03155, must be purchased separately

The **STEAMFORCE** range

When the cleaning gets tough... the SF20 gets you steaming!

- **SteamForce 20 – M6052**
- Very high dry steam volume - 460gr/min
- Tough & robust stainless steel body
- Industrial quality steam socket and accessories
- Detergent facility for added versatility
- Mains water connection for enhanced autonomy
- Emergency Stop button for increased safety
- Cost effective & environmentally friendly


















Technical Details

Power Supply	400v 50Hz	Cable Length	5 metres
Maximum Power	19,500 Watt	Machine Dimensions (W x D x H)	55 x 100 x 93cm
Steam Pressure	10.5 Bar nominal	Net Weight	110 Kg
Boiler Capacity	16 Litres	Shipping Weight	160 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Detergent Capacity	2 x 5 Litres	Max. Boiler Temperature	185°C
Heating Up Time	Approx. 7 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes



OSPREY DEEPCLEAN®
STEAM CLEANING TECHNOLOGY

SteamForce 20 Accessories (Included with Machine)

	Flexible 6m Steam Hose A03228		400mm industrial lance with hooked nozzle A03125 (Requires A03148)		1.100mm Industrial Lance with hooked nozzle A03129 (A03148 Required)		350mm Industrial Squeegee A03133		Nylon Detail Brush A03081
	Copper Detail Brush A03082		Stainless Steel Detail Brush A03083		60mm Round Nylon Brush A03074		60mm Round Copper Brush A03075		60mm Round Stainless Steel Brush A03076
	55mm Scotch Brite Round Pad A03145		2.9mm Nozzle Tip for Industrial Lances A03148		Accessory Bag A00903		Water Bottle A03216		Safety Gloves A00097 Safety Goggles A00096

Optional Accessories

	Optional "Cleaning in Progress" Sign A00972	3m Steam Hose 4m Steam Hose 1.3m Steam Hose 1.6m Steam Hose	A03059 A03053 A03222 A03196						
--	---	--	--	--	--	--	--	--	--

The **iSTEAM** range

Dry steam technology for heavy duty cleaning

- **iS18 - M2400167 / iS36 - M2400198**
- Mobile heavy duty unit for easy cleaning and degreasing industrial equipment & applications
- Innovative electric coil system technology - Made in Germany
- Superb dry steam volume
- Robust Stainless Steel Casing
- Dry or wet steam selector for different applications
- Detergent facility for added versatility














Technical Details		
Power Supply	400volt 50Hz 25amp / 51amp	5 metres
Maximum Power	18kW / 36kW	120cmx80cmx110cm
Steam Pressure	10 Bar (nominal)	Net Weight
Diesel Tank Capacity	23 litres	Shipping Weight
Detergent Tank Capacity	5 litres	Certification/Marking
Heating Up Time	Approx. 5 minutes	Max. Temperature
Steam Production Dry / Wet	23kg/h - 48kg/h / 46kg/h - 96kg/h	Variable Steam Control
Autonomy	Continuous Operation	Variable Moisture Control

OSPREY DEEPCLEAN
STEAM CLEANING TECHNOLOGY



DEFRA Approved Water
Technology List
Reference: 3207

iS 18/36 Accessories (Included with Machine)

	6m Dry Steam Hose A01017		500mm Industrial Lance with hooked nozzle A03172		Round Jet Nozzle A03170		Flat Jet Nozzle A03171		60mm Round Nylon Brush A00005
	60mm Round Brass Brush A00052		Triangular Nylon Brush A00006		Water Softening Cartridge A03178		Ear Protectors A01148		Safety Googles A00096
	Safety Gloves A00097		Accessory Bag A00903						

Optional Accessories

	30m Dry Steam Hose A01015		50cm Industrial Lance with Fan Nozzle A03173		100cm Industrial Lance with Hooked Nozzle A03174		100cm Industrial Lance with Fan Nozzle A03175
	150cm Industrial Lance with Hooked Nozzle A03176		150cm Industrial Lance with Fan Nozzle A03177		"Cleaning in Progress" Sign A00972		

The **iSTEAM** range

For the toughest of industrial cleaning operations












- **iS80 Oil - M2400157**
- Phenomenal steam volume
- Oil driven, German made coil system technology
- Tough, robust and reliable
- Industrial quality pistol grip and hose
- Dry or Wet steam selector for different types of application
- Strong casing and frame

Technical Details

Power Supply	230volt 50Hz 1.5 Amp	Cable Length	5 metres
Maximum Power	80kW	Machine Dimensions (W x D x H) cm	125x59x84
Steam Pressure	10 Bar (nominal)	Net Weight	180 Kg
Detergent Facility	Optional	Shipping Weight	195 Kg
Detergent Tank Capacity	20 litres	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 5 minutes	Max. Temperature	180°C
Steam Production	78 kg/h - 168 kg/h	Variable Steam Control	No
Autonomy	Continuous Operation	Variable Moisture Control	Yes



iS 80 (Oil) Accessories (Included with Machine)

	10m Dry Steam Hose A01016		500mm Industrial Lance with hooked nozzle A01124		Round Jet Nozzle A01122		Flat Jet Nozzle A01123		60mm Round Nylon Brush A00005
	60mm Round Brass Brush A00052		Triangular Nylon Brush A00006		Ear Protectors A01148		Accessory Bag A00903		Safety Googles A00096
	Safety Gloves A00097								

Optional Accessories

	30m Dry Steam Hose A01015		50cm Industrial Lance with Fan Nozzle A01125		100cm Industrial Lance with Hooked Nozzle A01126		100cm Industrial Lance with Fan Nozzle A01127
	150cm Industrial Lance with Hooked Nozzle A01128		150cm Industrial Lance with Fan Nozzle A01129		"Cleaning in Progress" Sign A00972		

The iSTEAM range

Dry steam technology for belt sanitation

- **Belt Sanitation Unit (BSU)**
- Portable belt sanitation for use in multiple locations
- Fully integrated systems are available, built into product line
- Belt sanitation units outperform other belt washing systems in the market
- Reduces chemical & disinfectant usage through dry steam technology
- Reduces Cleaning costs & speeds up cleaning tasks
- Enables cleaning in dry environments
- Speeds up product change overs



OSPREY DEEPCLEAN
STEAM CLEANING TECHNOLOGY


* Including a separate water filter unit for the reduction of the steam temperature after cleaning

✓ Recommended machine for use on belt width


✓ Suitable but over specified unless used in other areas

✓ Suitable subject to type and load of contaminant

Machine Type (Capacity)	Belt Cleaner (Width)				Vacuum	
	> 400mm M6068	> 600mm M6069	> 800mm M6070	> 1600 mm M6071	Wet/Dry Vacuum Unit	Heavy duty industrial wet vacuum or Side Channel Compressor*
SteamForce 6	✓	✓	✓			
SteamForce 10	✓	✓	✓		✓	
SteamForce 20	✓	✓	✓		✓	
iS18/48	✓	✓	✓		✓	
iS36/75	✓	✓	✓		✓	



- In the first chamber dry-steam clean & disinfects the belt in the moving direction
- In the second chamber, located at the bottom of the BSU, all residues and the steam are vacuumed leaving the surface touch dry
- Belt Cleaning and sanitising possible during production process
- Steam can be applied to both sides of the belt and the belt direction can be varied during the cleaning process.
- After the cleaning process the belt will be dry, allergen free and sanitised



SteamForce 6



SteamForce 10



SteamForce 20



iS18/48 & iS36/75

Description & Ordering Code	(Up to) 400mm BSU M6068	(Up to) 600mm BSU M6069	(Up to) 800mm BSU M6070	(Up to) 1600mm BSU M6071
Most compactible with;	SteamForce 6 or SteamForce 10	SteamForce 10 or SteamForce 20 or iS18/48	SteamForce 20 or iS18/48 or iS36/75	iS36/75

The iSTEAM range

Dry steam technology for conveyor sanitation


- **The CleanBox**
- Cleans & sanitises both sides of a modular/mesh belt conveyor insitu
- Fully integrated systems
- Reduces manual sanitisation
- Reduces down time of conveyors by cleaning insitu
- Clean in dry environments
- Speeds up the cleaning task and product change over

Machine Type (Capacity)	CleanBox (Width)				Vacuum	
	> 400mm	> 600mm	> 800mm	> 800mm	Wet/Dry Vacuum Unit	Heavy duty industrial wet vacuum or Side Channel Compressor*
SteamForce 20	✓	✓	✓			
iS18/48	✓	✓	✓	✓		
iS36/75	✓	✓	✓	✓		
iS54	✓	✓	✓	✓		



* Including a separate water filter unit for the reduction of the steam temperature after cleaning

- ✓ Recommended machine for use on belt width
- ✓ Suitable but over specified unless used in other areas
- ✓ Suitable subject to type and load of contaminant



- In the first chamber dry-steam clean & disinfects the belt in the moving direction
- In the second chamber, located at the bottom of the CleanBox, all residues and the steam are vacuumed leaving the surface touch dry


SteamForce 20



iS18/48 & iS36/75



- Belt Cleaning and sanitising possible during production process
- Steam can be applied to both sides of the belt and the belt direction can be varied during the cleaning process.
- After the cleaning process the belt will be dry, allergen free and sanitised



Stationary Cabinet (iS54)



Belt Size	(Up to) 400mm	(Up to) 600mm	(Up to) 800mm	(Up to) 1600mm
Most compactible with;	SteamForce 20	SteamForce 20 or iS18/48 or iS36/75	iS18/48 or iS36/75 or iS54	iS54



For further information please contact:

OspreyDeepclean Ltd

41 Central Way

Cheltenham Trade Park

Cheltenham, GL51 8LX

T: 01242 513123

E: info@ospreydc.com

W: www.ospreydc.com

